



## Provider Fast Facts

### Codes to Identify Well-Child Visits WC-15

| CPT                             | Description   |
|---------------------------------|---|
| 99381                           | <b>New Patient, Infant:</b> Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/ diagnostic procedures, New Patient: Infant (Age younger than 1 year)              |
| 99382                           | <b>New Age 1-4 :</b> Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/ diagnostic procedures, New Patient: Early Childhood (Age 1-4 years)                      |
| 99391                           | <b>Prev Visit, Est, Infant:</b> Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/ diagnostic procedures, Established Patient: Infant (Age younger than 1 year) |
| 99392                           | <b>Prev Visit, Est, Age 1-4:</b> Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/ diagnostic procedures, Established Patient: Early Childhood; Age 1-4years)  |
| 99432                           | <b>Newborn Care, Not in Hospital:</b> Normal newborn care in other than hospital or birthing room setting, including physical examination of baby and conference(s) with parent(s)  |
| 83655                           | Lead Screening  |
| <b>ICD-9-CM DIAGNOSIS CODES</b> | <b>V20.2, V70.0, V70.3, V70.5, V70.6, V70.8, V70.9</b>  |

Documentation must include a note indicating a visit to a PCP, the date on which the well child visit occurred and evidence of all of the following:

- A health and developmental history (physical and mental)
- A physical exam
- 12 month lead Screening (to be screened at ages 1 & 2)
- Health education/anticipatory guidance

| Health Education Anticipatory Guidance  |   |   |
|---|---|---|
| <b>1 day – 14 days</b><br>Infant Car Seat<br>Back to Sleep<br>Other   | <b>2 weeks – 2 months</b><br>Infant Car Seat<br>Safety – Rolling Over<br>Talk to Baby<br>Fever Education<br>Other   | <b>2 – 4 months</b><br>Solid Foods<br>Teething<br>Choking, Aspiration<br>Baby Proof Home<br>Falls<br>Back to Sleep  |
| <b>4 – 6 months</b><br>Cup, Finger Foods<br>No Bottle in Bed<br>Teething<br>Poisons<br>Pool and Tub Safety<br>Other | <b>6 – 12 months</b><br>Baby Proof Home and Pool<br>Talk to and Name Objects<br>Talk to Child<br>Discipline, Praise<br>Shoes- protect, not support<br>Dental Hygiene<br>Self Feeding<br>Sleeping<br>Sun Protection<br>Other | <b>12 – 18 months</b><br>Safety<br>Sleeping<br>Eating<br>No Bottle<br>Snacks<br>Discipline/Limits<br>Read to Child<br>Toilet Training<br>Tantrums<br>Aspiration<br>Dental Hygiene<br>Sibling Interaction<br>Sun Protection<br>Other |

## Codes to Identify Well-Child Visits WC 3-6

| CPT                            | Description  |
|--------------------------------|--|
| 99382                          | New Patient, Age 1-4: Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/ diagnostic procedures, New Patient: Infant (Age 1-4)                               |
| 99383                          | New, Age 5-11 Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/ risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/ diagnostic procedures, New Patient: Early childhood (Age 5-11 years)                      |
| 99392                          | Prev Visit, Est, Age 1-4: Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/ diagnostic procedures, Established Patient: Early Childhood (Age 1-4 years)   |
| 99393                          | Prev Visit, Est, Age 5-11 : Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/ diagnostic procedures, Established Patient: Late Childhood (Age 5-11 years) |
| 83655                          | Lead Screening   |
| ICD-9-CM<br>DIAGNOSIS<br>CODES | V20.2, V70.0, V70.3, V70.5, V70.6, V70.8, V70.9  |

Documentation must include a note indicating a visit to a PCP, the date on which the well child visit occurred and evidence of all of the following:

- A health and developmental history (physical and mental)
- A physical exam
- 24 month lead screening (to be screened at ages 1 & 2) CPT 83655
- 36-72 month lead screening for children who have not been previously screened CPT 83655
- Health education/anticipatory guidance

### Health Education Anticipatory Guidance

| <b>18 months – 3 years</b><br>Decreased Appetite<br>Teeth Brushing<br>Read to Child<br>Toilet Training<br>Control TV Viewing<br>Safety – Cars& Pool<br>Sun Protection<br>Other | <b>3 – 5 years</b><br>No Playing with Matches<br>Preschool<br>Seat Belts<br>Sexual Curiosity<br>Street Safety<br>Other | <b>5 – 9 years</b><br>Dental Hygiene<br>Nutrition<br>Regular Physical Activity<br>Safety: Water, Seat Belts, Skate Board,<br>Bicycle<br>Peer Relations<br>Communication<br>School Performance<br>Limit Setting<br>Parental Role Model<br>Other |
|--|--|--|

## Codes to Identify Adolescent Well-Child Visits (AWC)

| CPT                             | Description   |
|---------------------------------|---|
| 99383                           | <b>New, Age 5-11</b> Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/ diagnostic procedures, New Patient: Early Childhood (Age 5-11 years)   |
| 99384                           | <b>New, Age 12-17:</b> Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/ diagnostic procedures, New Patient: Adolescent (Age 12-17years)  |
| 99385                           | <b>New, Age 18-21:</b> Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/ diagnostic procedures, New Patient: Age 18-21 **Note: the checkup is only through age 20 and you must use the EP modifier for children 18-20 years of age              |
| 99393                           | <b>Prev Visit, New, Age 5-11:</b> : Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/ diagnostic procedures, Established Patient: Late Childhood (Age 5-11 years)  |
| 99394                           | <b>Prev Visit, Est, Age 12-17:</b> : Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/ diagnostic procedures, Established Patient: Adolescent; (Age 12-17 years)   |
| 99395                           | <b>Prev Visit, Est, Age 18-21:</b> : Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/ diagnostic procedures, Established Patient: **Note: the checkup is only through age 20 and you must use the EP modifier for children 18-20 years of age |
| <b>ICD-9-CM DIAGNOSIS CODES</b> | <b>V20.2, V70.0, V70.3, V70.5, V70.6, V70.8, V70.9</b>  |

Documentation in the medical record must include a note indicating a visit to a PCP or OB/GYN practitioner, the date on which the well-child visit occurred and evidence of all of the following:

- A health and development history (physical and mental)
- A physical exam
- Health education/anticipatory guidance

### Health Education Anticipatory Guidance

| 5 – 9 years   | 9 – 13 years  | 13 – 21 years  |
|---|---|--|
| Dental Hygiene<br>Nutrition<br>Regular Physical Activity<br>Safety: Water, Seat Belts, Skate Board/ Bicycle<br>Peer Relations<br>Communication<br>School Performance<br>Other | Dental Hygiene<br>Peer Pressure<br>School Performance<br>Sexual Info<br>Nutrition<br>Smoking/Alcohol/Drugs<br>Bicycle Safety<br>Communication OF Affection<br>Other | Car/Seat Belt Safety<br>Sexual Ed and STD<br>Pregnancy Prevention<br>Breast and Testicular<br>Self Exam<br>Nutrition<br>Smoking/Alcohol/Drugs<br>Physical Activity<br>Motorcycle / Helmet<br>Safety<br>School Performance<br>Communication OF Affection<br>Other |

Included in this package are the following forms:

Medication Profile Form    Problem List form    Well-Child Visit Form    Immunization Record Form

Forms available at [http://www.wellcare.com/provider/Resources\\_FLProviderManualForms](http://www.wellcare.com/provider/Resources_FLProviderManualForms)

## Well-Child CPT Code – Comprehensive List

| CPT   | Description  |
|-------|--|
| 99381 | <b>New Patient, Infant:</b> Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, New Patient: Infant (Age younger than 1 year)  |
| 99382 | <b>New Age 1-4 :</b> Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, New Patient: Early Childhood (Age 1-4 years)  |
| 99383 | <b>New, Age 5-11</b> Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, New Patient: Early childhood (Age 5-11 years)   |
| 99384 | <b>New, Age 12-17:</b> Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, New Patient: Adolescent (Age 12-17years)  |
| 99385 | <b>New, Age 18-21:</b> Initial comprehensive preventive medicine evaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, New Patient: Age 18-21 <b>**Note:</b> the checkup is only through age 20 and you must use the EP modifier for children 18-20 years of age               |
| 99391 | <b>Prev Visit, Est, Infant:</b> Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/diagnostic procedures, Established Patient: Infant (Age younger than 1 year)   |
| 99392 | <b>Prev Visit, Est, Age 1-4:</b> Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/diagnostic procedures, Established Patient: Early Childhood; Age 1-4years)  |
| 99393 | <b>Prev Visit, New, Age 5-11:</b> Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/diagnostic procedures, Established Patient: Late Childhood (Age 5-11 years)  |
| 99394 | <b>Prev Visit, Est, Age 12-17:</b> Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/diagnostic procedures, Established Patient: Adolescent; (Age 12-17 years)   |
| 99395 | <b>Prev Visit, Est , Age 18-21: :</b> Periodic comprehensive preventive medicine reevaluation and management of an individual including age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions; and the ordering appropriate immunization(s), laboratory/diagnostic procedures, Established Patient: <b>**Note:</b> the checkup is only through age 20 and you must use the EP modifier for children 18-20 years of age |
| 99432 | <b>Newborn Care, Not in Hospital:</b> Normal newborn care in other than hospital or birthing room setting, including physical examination of baby and conference(s) with parent(s)   |
| 83655 | <b>Lead Screening</b>  |