



Patient Name:	Date of Birth:	Date Service Performed
<b>-Breast Cancer Screening</b>		
<b>-Persistence of Beta-Blocker Treatment after a Heart Attack</b>		
<b>-Glaucoma</b>		
<b>-Use of Spirometry Testing in the Assessment and Diagnosis of COPD</b>		
<b>-Pharmacotherapy Management of COPD Exacerbation</b>		
<ul style="list-style-type: none"> <li>• Dispensed a systemic corticosteroid within 14 days of the event</li> <li>• Dispensed a bronchodilator within 30 days of the event</li> </ul>		
<b>-Osteoporosis Management in Women Who Have Had a Fracture</b>		
<b>-Comprehensive Diabetes Care</b>		
The percentage of members 18–75 years of age with diabetes (type 1 and type 2) who had each of the following.		
<ul style="list-style-type: none"> <li>• Hemoglobin A1c (HbA1c) testing</li> <li>• HbA1c poor control (&gt;9.0%)</li> <li>• HbA1c control <b>a</b>) (&lt;7.0% except patients &gt; 65 y.o.) <b>b</b>) (&lt;8)</li> <li>• Eye exam (retinal) performed</li> <li>• LDL-C screening</li> <li>• LDL-C control (&lt;100 mg/dL)</li> <li>• Medical attention for nephropathy</li> <li>• Blood pressure control (&lt;130/80 mm Hg)</li> <li>• Blood pressure control (&lt;140/90 mm Hg)</li> <li>• Monitoring for Nephropathy monitoring for microalbuminuria.</li> </ul>		
<b>-Colorectal Cancer Screening</b>		
<ul style="list-style-type: none"> <li>• Fecal occult blood test (FOBT) during the measurement year</li> <li>• Flexible sigmoidoscopy during the measurement year or the four years prior to the measurement year</li> <li>• Double contrast barium enema (DCBE) or air contrast barium enema during the measurement year or the four years prior to the measurement year</li> <li>• Colonoscopy during the measurement year or the nine years prior to the measurement year</li> </ul>		
<b>-Cholesterol Management for Patients with Cardiovascular Conditions</b>		
<b>-Controlling High Blood Pressure</b>		
<b>-Adult Body Mass Index (BMI) Assessment</b>		
<b>-Care for Older Adults</b>		
<ul style="list-style-type: none"> <li>• Advance care planning</li> <li>• Medication review</li> <li>• Functional status assessment</li> <li>• Pain screening</li> </ul>		
<b>-Annual Monitoring for Patients on Persistent Medications</b>		
<b>-Medication Reconciliation Post-Discharge</b>		
<b>-Potentially Harmful Drug – Disease Interactions in the Elderly</b>		
<b>-Use of High-Risk Medications in the Elderly</b>		
<b>-Pneumonia Vaccination</b> Check if given once after age 65 y.o.		
<b>-Management of Urinary Incontinence in Older Adults:</b> asking, discussing and treatment if applicable		
<b>-Fall Risk Management</b> Educating patients on fall risk management		
<b>-Flu Shots for Older Adults</b>		
<b>-Osteoporosis Testing in Older Women</b>		
<b>-Physical Activity in Older</b> Educating patients on physical-health appropriate exercises.		
<b>-Medical Assistance with Smoking Tobacco users</b>		

Printed Name of Clinician	Circle one MD, DO, NP, PA	Clinician Signature	Today's Date 1
---------------------------	------------------------------	---------------------	----------------