



Patient Name:	Date of Birth:	Date Service Performed
-Breast Cancer Screening		
-Persistence of Beta-Blocker Treatment after a Heart Attack		
-Glaucoma		
-Use of Spirometry Testing in the Assessment and Diagnosis of COPD		
-Pharmacotherapy Management of COPD Exacerbation		
<ul style="list-style-type: none"> • Dispensed a systemic corticosteroid within 14 days of the event • Dispensed a bronchodilator within 30 days of the event 		
-Osteoporosis Management in Women Who Have Had a Fracture		
-Comprehensive Diabetes Care		
The percentage of members 18–75 years of age with diabetes (type 1 and type 2) who had each of the following.		
<ul style="list-style-type: none"> • Hemoglobin A1c (HbA1c) testing • HbA1c poor control (>9.0%) • HbA1c control a) (<7.0% except patients > 65 y.o.) b) (<8) • Eye exam (retinal) performed • LDL-C screening • LDL-C control (<100 mg/dL) • Medical attention for nephropathy • Blood pressure control (<130/80 mm Hg) • Blood pressure control (<140/90 mm Hg) • Monitoring for Nephropathy monitoring for microalbuminuria. 		
-Colorectal Cancer Screening		
<ul style="list-style-type: none"> • Fecal occult blood test (FOBT) during the measurement year • Flexible sigmoidoscopy during the measurement year or the four years prior to the measurement year • Double contrast barium enema (DCBE) or air contrast barium enema during the measurement year or the four years prior to the measurement year • Colonoscopy during the measurement year or the nine years prior to the measurement year 		
-Cholesterol Management for Patients with Cardiovascular Conditions		
-Controlling High Blood Pressure		
-Adult Body Mass Index (BMI) Assessment		
-Care for Older Adults		
<ul style="list-style-type: none"> • Advance care planning • Medication review • Functional status assessment • Pain screening 		
-Annual Monitoring for Patients on Persistent Medications		
-Medication Reconciliation Post-Discharge		
-Potentially Harmful Drug – Disease Interactions in the Elderly		
-Use of High-Risk Medications in the Elderly		
-Pneumonia Vaccination Check if given once after age 65 y.o.		
-Management of Urinary Incontinence in Older Adults: asking, discussing and treatment if applicable		
-Fall Risk Management Educating patients on fall risk management		
-Flu Shots for Older Adults		
-Osteoporosis Testing in Older Women		
-Physical Activity in Older Educating patients on physical-health appropriate exercises.		
-Medical Assistance with Smoking Tobacco users		

Printed Name of Clinician	Circle one MD, DO, NP, PA	Clinician Signature	Today's Date 1
---------------------------	------------------------------	---------------------	----------------