# 2019 HEDIS® AT-A-GLANCE: KEY BEHAVIORAL MEASURES

(17 Years and Younger)

At WellCare, we value everything you do to deliver quality care for our members – your patients – to make sure they have a positive healthcare experience. That's why we've created this easy-to-use, informative HEDIS® At-A-Glance Guide. It gives you the tools you need to meet, document and code HEDIS Measures. Together, we can provide the care and services our members need to stay healthy and improve quality scores and Star Ratings. This benefits our providers, WellCare and ultimately our members. Please contact your WellCare representative if you need more information or have any questions.

## Quality care is a team effort. Thank you for playing a starring role!

\*Measurement year 2018

### **Sample Codes Used HEDIS Measure Documentation Tips** Follow-Up Care for Children • When prescribing a new CPT Codes: 96150-96154, 98960-98962, **Prescribed ADHD Medication (ADD)** medication, be sure to schedule 99078, 99201-99205, 99211-99215, a follow-up visit within 30 days 99217-99220, 99241-99245, 99341-99345, • Initiation Phase: Children with a to assess how the medication 99347-99350, 99381-99387, 99391-99397. new prescription for an ADHD is working and to address side 99401-99404, 99411, 99412, 99510 medication who had 1 followeffect issues. Telephone Visits: 98966-98968, 99441up visit with a practitioner with - Schedule this visit while your prescribing authority during the 99443 member is still in the office. 30-day Initiation Phase. CPT Telehealth Modifiers: 95, GT • Continuation and Maintenance • Schedule two more visits in the Telehealth POS 02 (C&M) Phase: Children who 9 months after the 30-day HCPCS: G0155, G0176, G0177, remain on the medication for Initiation Phase to continue to G0409-G0411, G0463, H0002, H0004, at least 210 days and have at monitor your member's progress. H0031, H0034-H0037, H0039, H0040, least 2 follow-up visits within • If your member cancels an H2000, H2001, H2010-H2020, M0064, 270 days after the end of the appointment be sure to S0201, S9480, S9484, S9485, T1015 Initiation Phase. reschedule right away. **Initiation Phase:** Ages: 6–12 years CPT Codes: 90791, 90792, 90832-90834. Performed: March 1 of the year 90836-90840, 90845, 90847, 90849, prior to the measurement year and 90853, 90875, 90876 ending the last calendar day of WITH POS: 03, 05, 07, 09, 11-20, 22, 33, February of the measurement year\* 49, 50, 52, 53, 71, 72 C & M Phase: CPT Codes: 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 99291 WITH POS: 52, 53

This document is an informational resource designed to assist licensed healthcare practitioners in caring for their patients. Healthcare practitioners should use their professional judgment in using the information provided. HEDIS measures are not a substitute for the care provided by licensed healthcare practitioners and patients are urged to consult with their healthcare practitioner for appropriate treatment. HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).



www.wellcare.com/Nebraska | http://dhhs.ne.gov/heritagehealth

HEDIS Measure	Documentation Tips	Sample Codes Used
Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC)  Members who were on 2 or more concurrent antipsychotics for at least 90 consecutive days during the measurement year.  Ages: 1–17 years  Performed: Jan. 1–Dec. 31 of measurement year*	A lower rate of concurrent antipsychotics indicates better performance.  Remember to perform regular blood tests for members on antispychotics including:  • Blood glucose test or HbA1c annually  • LDL-C test annually  Consider using standing orders to complete these labs.	For a complete list of medications and NDC codes, please visit www.ncqa.org. For Medicaid, please refer to the Preferred Drug List (PDL) on the state-specific WellCare website. For Medicare, please refer to the WellCare Formulary.
Metabolic Monitoring For Children and Adolescents on Antipsychotics (APM) Those members who had 2 or more antipsychotic prescriptions and had metabolic testing in the measurement year. Ages: 1–17 years Performed: Jan. 1–Dec. 31 of measurement year*	Member must have the following:  • A blood glucose test or HbAIC  • At least one LDL-C test  To increase compliance, consider using standing orders to get labs done.  For a complete list of medications and NDC codes, please visit www.ncqa.org.	CPT Codes: Cholesterol Tests Other Than LDL: 82465, 83718, 84478 Glucose Tests: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951 HbAlc Tests: 83036, 83037, CPT II: 3044F-3046F LDL-C Tests: 80061, 83700, 83701, 83704, 83721 CPT II: 3048F-3050F
Follow-Up After Emergency Department Visit for Mental Illness (FUM)  Members who had an ED visit with a principal diagnosis of mental illness or intentional self-harm, who had and outpatient follow-up visit, intensive outpatient encounter or partial hospitalization with any practitioner within 30 days and 7 days after the ED visit.  Two rates are reported:  • The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days).  • The percentage of ED visits for which the member received follow-up within 7 days of the ED visit (8 total days).  Ages: 6 years and older Performed: Jan. 1—Dec. 1 of measurement year*	Schedule the 7-day follow-up visit within 5 days to allow flexibility in rescheduling. Involve the member's caregiver regarding the follow-up plan after ED visit, if possible.  If the member's appointment does not occur within the first 7 days post-ED visit, please schedule the appointment to occur within 30 days post-ED visit.	ICD-10-Dx: Use the appropriate code family: F, T  CPT Codes: 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99510  Telehealth POS: 02  CPT Telehealth Modifiers: 95, GT  HCPCS: G0155, G0176, G0177, G0409-G0411, G0463, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010- H2020, M0064, S0201, S9480, S9484, S9485, T1015  FOLLOW-UP GROUP 1 WITH POS  CPT Codes: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90870, 90875, 90876  POS: 03, 05, 07, 09, 11-20, 22, 24, 33, 49, 50, 52, 53, 71, 72  FOLLOW-UP GROUP 2 WITH POS  CPT Codes: 99221-99223, 99231-99233, 99238, 99239, 99251-99255; POS: 52, 53

HEDIS Measure	Documentation Tips	Sample Codes Used
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)  Members who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment.  Ages: 1–17 years  Performed: Jan. 1–Dec. 1 of measurement year*	Member must have documentation of psychosocial care as first-line treatment (prior to initiation of medication therapy).  For a complete list of medications and NDC codes, please visit www.ncqa.org.	ICD-10-Dx: Use the appropriate code family: F  Psychosocial Care: 90832-90834, 90836-90840, 90845-90847, 90849, 90853, 90875, 90876, 90880  CPT Telehealth Modifiers: 95, GT  HCPCS PsychosocialCare: G0176, G0177, G0409-G0411, H0004, H0035-H0040, H2000, H2001, H2011-H2014, H2017-H2020, S0201, S9480, S9484, S9485
Depression Remission or Response for Adolescents and Adults (DRR)  Members with a diagnosis of depression and an elevated PHQ-9 score who had a response or remission within 4-8 months of the elevated score.  Ages: 12 years and older as of April 1 of the prior measurement period Performed: Jan. 1-Dec. 31 of measurement year*	<ul> <li>When the PHQ-9 indicates an elevated score, it is important to document follow-up in which the rates reported include:</li> <li>Follow-up PHQ-9 – follow-up PHQ-9 score documented within 4-8 months after the initial elevated PHQ-9 score.</li> <li>Depression Remission – those who achieved remission within 4-8 months after the initial elevated PHQ-9 score.</li> <li>Depression Response – those who showed response within 4-8 months after initial elevated PHQ-9 score.</li> <li>The PHQ-9 assessment does not need to occur during a face-to-face encounter; it can be completed over the telephone or through a Web-based portal.</li> </ul>	ICD-10-CM Diagnosis Major Depression and Dysthymia: F32.0-F32.5, F32.9, F33.0-F33.3, F33.40-F33.42, F33.9, F34.1  CPT Code PHQ-9: 96127

HEDIS Measure	Documentation Tips	Sample Codes Used
Follow-Up After Hospitalization for Mental Illness (FUH)  Members who were discharged following hospitalization for treatment of selected mental illness or intentional self-harm diagnoses and who had a follow-up visit with a mental health practitioner.  Two rates reported:  The percentage of discharges for which the member received follow-up within 7 days after discharge.  The percentage of discharges for which the member received follow-up within 30 days after discharge.  Ages: 6 years and older  Performed: Jan. 1—Dec. 1 of measurement year*	<ul> <li>Schedule the 7-day follow-up visit within 5 days to allow flexibility in rescheduling. Involve the member's caregiver regarding the follow-up plan after IP discharge.</li> <li>If the member's appointment does not occur within the first 7 days post-discharge, please schedule the appointment to occur within 30 days.</li> </ul>	ICD-10-Dx: Use the appropriate code family: F, T  CPT Codes: 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99495, 99496, 99510  CPT Telehealth Modifiers: 95, GT  Telehealth POS: 02  HCPCS: G0155, G0176, G0177, G0409-G0411, G0463, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485, T1015  CPT Codes: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90870, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255  WITH POS: 03, 05, 07, 09, 11-20, 22, 24, 33, 49, 50, 52, 53, 71, 72
Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS)  Members with a diagnosis of major depression or dysthymia, who had an outpatient encounter with a PHQ-9, score present in their record in the same assessment period as the encounter.  Ages: 12 years and older Performed: Jan. 1—Dec. 31 of measurement year*	Standardized instruments are used to identify meaningful change in clinical outcomes over time. The PHQ-9, a nationally recognized and standardized assessment tool, is recommended.	Major Depression and Dysthymia ICD-10-Dx: F32.0-5, F32.9, F33.0-3, F33.40-42, F33.9, F34.1  Interactive Outpatient Encounter CPT Codes: 90791, 90792, 90832, 90834, 90837, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99510  HCPCS: G0155, G0176, G0177, G0409-G0411, G0463, G0502, G0503, G0507, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485, T1015

# Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET) Adolescent and adult members with a new episode of a substance use disorder or dependence who received the following: Initiation of AOD Treatment - Members who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth or medication

 Engagement of AOD Treatment -Members who initiated treatment and who had two or more additional AOD services, or medication treatment, within 34 days of the initiation visit.

treatment, within 14 days of

the diagnosis.

Ages: 13 years and older Performed: Jan. 1–Nov. 14 of measurement year\*

# **Documentation Tips**

- Schedule the 14-day follow-up visit within 10 days to allow flexibility in rescheduling.
   Involve the member's caregiver regarding the follow-up plan, if possible.
- At the end of the initial follow-up appointment, schedule two more follow-up appointments to occur within 34 days of the initial follow-up appointment.
- When treating a member for issues related to an alcohol or other drug dependence diagnosis, code for that diagnosis on every claim.

# **Sample Codes Used**

**ICD-10-Dx**: Use the appropriate code family: F

**CPT Codes:** 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99408, 99409, 99411, 99412, 99510

**Telephone Visits:** 98966-98968, 99441-99443

Online Assessment: 98969, 99444

Telehealth POS: 02

CPT Telehealth Modifiers: 95, GT

**AOD Medication Treatment:** H0020, H0033, J0571-J0575, J2315, S0109

HCPCS: G0155, G0176, G0177, G0396, G0397, G0409-G0411, G0443, G0463, H0001, H0002, H0004, H0005, H0007, H0015, H0016, H0022, H0031, H0034-H0037, H0039, H0040, H0047, H2000, H2001, H2010-H2020, H2035, H2036, M0064, S0201, S9480, S9484, S9485, T1006, T1012, T1015

### **Initiation Phase**

**CPT Codes:** 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876

WITH POS: 03, 05, 07, 09, 11-20, 22, 33,

49, 50, 52, 53, 57, 71, 72

### **Engagement Phase**

**CPT Codes:** 99221-99223, 99231-99233,

99238, 99239, 99251-99255

WITH POS: 52, 53

HEDIS Measure	Documentation Tips	Sample Codes Used
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA)  Members who had an ED visit with a principal diagnosis of alcohol or other drug (AOD) abuse or dependence and who had a follow-up visit for AOD to include: an outpatient follow-up visit, intensive outpatient or partial hospitalization encounter with any practitioner.  Two rates are reported:  The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days).  The percentage of ED visits for which the member received follow-up within 7 days of the ED visit (8 total days).  Ages: 13 years and older Performed: Jan. 1-Dec. 1 of measurement year*	Schedule the 7-day follow-up visit within 5 days to allow flexibility in rescheduling. Involve the member's caregiver regarding the follow-up plan after ED visit, if possible.  If the member's appointment does not occur within the first 7 days post-ED visit, please schedule the appointment to occur within 30 days post-ED visit.	ICD-10-Dx: Use the appropriate code family: F CPT Codes: 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404,99408, 99409, 99411, 99412, 99510 Telephone Visits: 98966-98968, 99441-99443 Online Assessments: 98969, 99444 Telehealth Modifiers: 95, GT TeleHealth POS: 02 HCPCS: G0155, G0176, G0177, G0396, G0397, G0409-G0411, G0443, G0463, H0001, H0002, H0004, H0005, H0007, H0015, H0016, H0022, H0031, H0034-H0037, H0039, H0040, H0047, H2000, H2001, H2010-H2020, H2035, H2036, M0064, S0201, S9480, S9484, S9485, T1006, T1012, T1015 FOLLOW-UP GROUP 1 WITH POS CPT Codes: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876 POS: 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 52, 53, 57, 71, 72 FOLLOW-UP GROUP 2 WITH POS CPT Codes: 99221-99223, 99231-99233, 99238, 99239, 99251-99255 POS: 52, 53